UniFirst Gravity-fed Eyewash Station

Build the optimum emergency eyewash setup.



The UniFirst+ 12-gallon, gravity-fed eyewash station is an essential, portable solution for ensuring the safety and well-being of workers in hazardous environments. This ANSI compliant station delivers a steady flow of sterile eyewash solution providing relief in the event of accidental exposure to harmful substances or foreign particles. Convenient accessories (sold separately) include Drain Cart, Tank Stand, Station Alarm and Dust Cover. Eyewash solution requires replacement every 90 days.



12 Gallon Eyewash Station

Order #: REW01112

Lease Option Available

- Delivers at least 15 minutes of non-injurious flow to meet the ANSI Z358.1 standard
- One-step activation for near instantaneous flow
- MIN and MAX lines on manifold help ensure proper water level
- Hi-vis green color is easily recognizable if an injury occurs
- Gravity-fed station can be wall mounted, used with a stand, or placed on a table/cart
- Includes a wall bracket, potable water preservative, test log card and drainage hose

Eyewash Drain Cart

Order #: REWCART

- Strong plastic construction with 12-gallon capacity
- Small drain hose opening in top to collect water
- Ergonomic design for easy transport to disposal area

Eyewash Tank Stand

Order #: REWSTAND

- Ensures station is at ANSI-required height for operation
- Simple six-bolt assembly with included hardware
- Can be positioned and easily moved to various locations
- Durable powder-coated steel construction
- Rubber feet for stability

Eyewash Station Alarm

Order #: REWALARM

Provides additional awareness and safety by activating a siren and flashing light to notify nearby workers that help is needed.

*Batteries NOT Included.



Dust Cover

Order #: REWCOVER12


- Protects 12-gallon eyewash station from dust and environmental contaminants
- Allows quick access when PULL manifold is activated.



Additional Eyewash Supplies



Eyewash Wall Sign 3D Flanged
Order #: PWS-2



Eyewash Mat 26"x 40"
Order #: EWMAT



Eyewash Floor Sticker
Order #: 20110924UNI



Eyewash Preservative Additive
Order #: 4101



Eyewash Station 2 - 32oz Bottles
Order #: 4127

First Aid + Safety + PPE + Safety Training + Mobile Testing + Fire Protection

UFAS-EWGFS_0226

Visit Us Online Today!
UniFirst.com/FirstAid // 800.869.6970

UniFirst
FIRST AID + SAFETY

UniFirst Gravity-fed Eyewash Station

Build the optimum emergency eyewash setup.



The UniFirst+ 12-gallon, gravity-fed eyewash station is an essential, portable solution for ensuring the safety and well-being of workers in hazardous environments. This ANSI compliant station delivers a steady flow of sterile eyewash solution providing relief in the event of accidental exposure to harmful substances or foreign particles. It can be placed on a shelf, table or the Eyewash Tank Stand, sold separately. Other convenient accessories include the Drain Cart, Tank Stand, Station Alarm and Dust Cover. Eyewash solution requires replacement every 90 days.

12 Gallon Eyewash Station

Order #: REW01112

- Delivers at least 15 minutes of non-injurious flow to meet the ANSI Z358.1 standard
- One-step activation for near instantaneous flow
- MIN and MAX lines on manifold help ensure proper water level
- Hi-vis green color is easily recognizable if an injury occurs
- Gravity-fed station can be wall mounted, used with a stand, or placed on a table/cart
- Includes a wall bracket, potable water preservative, test log card and drainage hose



*Eyewash Station, Stand, Drain Cart, Alarm & Dust Cover sold separately

USA MADE IN USA

ANSI Z358.1 STANDARD

Eyewash Drain Cart

Order #: REWCART

- Strong plastic construction with 12-gallon capacity
- Small drain hose opening in top to collect water
- Ergonomic design for easy transport to disposal area

Eyewash Tank Stand

Order #: REWSTAND

- Ensures station is at ANSI-required height for operation
- Simple six-bolt assembly with included hardware
- Can be positioned and easily moved to various locations
- Durable powder-coated steel construction
- Rubber feet for stability

Eyewash Station Alarm

Order #: REWALARM

Provides additional awareness and safety by activating a siren and flashing light to notify nearby workers that help is needed.

*Batteries NOT Included.



Dust Cover

Order #: REWCOVER12


- Protects 12-gallon eyewash station from dust and environmental contaminants
- Allows quick access when PULL manifold is activated.



Additional Eyewash Supplies



Eyewash Wall Sign 3D Flanged
Order #: PWS-2



Eyewash Mat 26"x 40"
Order #: EWMAT



Eyewash Floor Sticker
Order #: 20110924UNI



Eyewash Preservative Additive
Order #: 4101



Eyewash Station 2 - 32oz Bottles
Order #: 4127

First Aid + Safety + PPE + Safety Training + Mobile Testing + Fire Protection

UFAS-EWGFS_1123

Visit Us Online Today!
UniFirst.com/FirstAid // 800.869.6970

UniFirst
FIRST AID + SAFETY

UniFirst Gravity-fed Eyewash Station

Build the optimum emergency eyewash setup.



The UniFirst+ 12-gallon, gravity-fed eyewash station is an essential, portable solution for ensuring the safety and well-being of workers in hazardous environments. This ANSI compliant station delivers a steady flow of sterile eyewash solution providing relief in the event of accidental exposure to harmful substances or foreign particles. It can be placed on a shelf, table or the Eyewash Tank Stand, sold separately. Other convenient accessories include the Drain Cart, Tank Stand, Station Alarm and Dust Cover. Eyewash solution requires replacement every 90 days.



12 Gallon Eyewash Station Order #: REW01112

- Delivers at least 15 minutes of non-injurious flow to meet the ANSI Z358.1 standard
- One-step activation for near instantaneous flow
- MIN and MAX lines on manifold help ensure proper water level
- Hi-vis green color is easily recognizable if an injury occurs
- Gravity-fed station can be wall mounted, used with a stand, or placed on a table/cart
- Includes a wall bracket, potable water preservative, test log card and drainage hose

Eyewash Drain Cart Order #: REWCART

- Strong plastic construction with 12-gallon capacity
- Small drain hose opening in top to collect water
- Ergonomic design for easy transport to disposal area

*Eyewash Station, Stand, Drain Cart, Alarm & Dust Cover sold separately

Eyewash Tank Stand Order #: REWSTAND

- Ensures station is at ANSI-required height for operation
- Simple six-bolt assembly with included hardware
- Can be positioned and easily moved to various locations
- Durable powder-coated steel construction
- Rubber feet for stability

Eyewash Station Alarm

Order #: REWALARM

Provides additional awareness and safety by activating a siren and flashing light to notify nearby workers that help is needed.

*Batteries NOT Included.



Dust Cover

Order #: REWCOVER12

- Protects 12-gallon eyewash station from dust and environmental contaminants
- Allows quick access when PULL manifold is activated.



First Aid + Safety + PPE + Safety Training + Mobile Testing + Fire Protection

08.09.2023